



NC 150SS - ISO w/ METAL DECK

- NC 150SS PANEL
- #14 - 13 x 2" PHDD (12" o.c.)
- D.B. TAPE SEALANT
- OFFSET CLEAT FLASHING
- NEW CASTLE APPROVED TUBE SEALANT
(FIELD APPLIED BETWEEN PANEL RIBS)
- FIELD CUT & HEM PANEL 180°
- BOX END OF PANEL
(SEE ZEE CLOSURE OPTIONS DETAIL)
- TRANSITION FLASHING
- Z-CLOSURE
- 1/8" - #43 POP RIVET (18" o.c.)
- NEW CASTLE APPROVED TUBE SEALANT
(FIELD APPLIED BETWEEN PANEL RIBS)
- #14 - 13 x 2" PHDD (5 PER PANEL)
- D.B. TAPE SEALANT
- NC 150SS PANEL
- NEW CASTLE UNDERLAYMENT
- ISO INSULATION
- METAL DECK



#14-13x2" PHDD
(5 PER PANEL)



FLUSH CUT ZEE CLOSURE
TO BE INSTALLED BETWEEN
PANE RIBS w/ TUBE SEALANT
AT SIDES AND IN ANY VOIDS

TRANSITION

SCALE: 3" = 1'-0"

SUBJECT TO CHANGE WITHOUT NOTICE

