



NC 150SS - ISO w/ METAL DECK

ZOOMED IN VIEW



NTS

NC 150SS PANEL
NEW CASTLE UNDERLAYMENT
#14 - 13 x ?" PHDD (12" o.c.)
D.B. TAPE SEALANT
OFFSET CLEAT FLASHING
NEW CASTLE APPROVED TUBE SEALANT
(FIELD APPLIED BETWEEN PANEL RIBS)
FIELD CUT & HEM PANEL 180°
NEW CASTLE UNDERLAYMENT
VALLEY W / DIVERTER FLASHING
ISO INSULATION
METAL DECK



NOTE:

- 1.) LAPS IN VALLEY ARE 12" MIN. NEW CASTLE APPROVED TUBE SEALANT IN ALL LAPS IN VALLEY. TWO ROWS OF SEALANT BETWEEN VALLEY LAPS, 4" UP FROM LAP.
- 2.) LARGE ROOF AREAS MAY REQUIRE A LARGER GAP BETWEEN PANEL AND DIVERTER TO ALLOW FOR STORM WATER RUN OFF.

SUBJECT TO CHANGE WITHOUT NOTICE

VALLEY W / DIVERTER

SCALE: 3" = 1'-0"

NEW CASTLE
METAL